

Schedule of Rate

Name of work:- Distempering and Painting work at mathematics Deptt and CFD Lab, NIT silchar.
Completion Period:- 30 Days

OR:
CR:
OM:

Sl no	Item Description	Unit	Quantity	Rate in fig	Rate in word	Amount
1	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete	sqm	990.00			
2	Distempering with dry distemper of approved brand and manufacture (two or more coats) of required shade on new work, over and including water thinnable priming coat to give an even shade.	sqm	990.00			
3	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface :Water thinnable cement primer	sqm	20.00			
4	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	sqm	990.00			
5	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete	each	3.00			
6	15 mm cement plaster on rough side of single of half brick wall of mix : 1:4(1 cement : 4 coarse sand)	sqm	6.00			

R/S
21/10/21

[Signature]

OR:
CR:
OM:

Sl no	Item Description	Unit	Quantity	Rate in fig	Rate in word	Amount
7	<p>Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :</p> <p>For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)</p>	Kg	9.20			
8	<p>Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5.50 mm thickness</p>	Sqm	2.00			
9	<p>Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick : Second class teak wood</p>	Sqm	1.80			

(Signature)

(Signature)

OR:
CR:
OM:

Sl no	Item Description	Unit	Quantity	Rate in fig	Rate in word	Amount
10	Varnishing with varnish of approved brand and manufacture :Two or more coats of glue sizing with copal varnish over an under coat of flattening varnish	Sqm	3.60			
11	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade. One or more coats on old work	Sqm	85.00			
12	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete :300x16 mm	each	2.00			
13	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :250x10 mm	each	4.00			
14	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :125 mm	each	4.00			
Total =						

Rupees

Signature of the Agency

 